

FIG. 1A




FIGURE 1A

FOOT" SEESFOOT




FIGURE 1B

FIGURE 2




FIGURE 2

FIGURE 3




FIGURE 3

FOOTREST




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7

FOOT REST




FIGURE 8

FOOT" BESSFOOT






FIGURE 9

TOP SECRET

GADEYES DISPLAY V9.01 (D:\14295\PUTTY\IMG)

File Log Calibration Image Processor Fiber Tech Marvels Help Clueless?

Interactive Mode: Select a function from the Command buttons



Command / Result Log

Number of points extracted = +83060.0000
 PlaneFit points = +83060.0000
 Xslope = +00.0016
 Yslope = +00.0258
 Offset = +00.0540
 Ra = +00.2047
 Flatness = +01.6521

Commands

Zoom In	Palette
Zoom Out	3-D View
512 x 512	Fix Data
Plane Fit	Sphere Fit
Quad Fit	Average
Acquire Data	Area Ave
Application	

MAG.	OFFS.
Auto Scale	
-0.8813	
-0.5313	
-0.1812	
+0.1689	
+0.5190	
+0.8691	
+1.2191	

FIGURE 10.



FOOT" 3E85FOOT




FIGURE 12.




FIGURE 13.




FIGURE 14.

TOFF "BESFOOT"




FIGURE 16.

FIG. 17




FIGURE 17.




FIGURE 18




FIGURE 19




FIGURE 20




FIGURE 21




FIGURE 22

10015838.11091

FOOTPRINT BEESTOOF




FIGURE 23.




FIGURE 24.




FIGURE 25




FIGURE 26

FOOT" REEF




FIGURE 27




FIGURE 28

10015838.10201
FO2011" 8E85T001

23

52'
54'
62'
40'
42'

50'

50'

38'

FIGURE 29




FIGURE 30